## BAYFIELD COUNTY SANITARY PERMIT APPLICATION



Zoning b

	Soil Test No:	County Permit No: 20-000
Property Owner's Name:	County:	
Kod and Carla Yowers	Gounty.	Bayfield
Address of Property:	Property Location:	
Property Owner's Mailing Address:	W1/4 NW 1/4, S 2	4 T47N N,R 9 E (0)
3102 N. Blackman Aue	Township:	Gov. Lot #:
City, State Zin Code Phone Number	Hughes  Lot # Brock #: CSM	
Duloth MN 59811 215-790-1319	1 1	and Tu
II. TYPE OF BUILDING: (Check One)	210	18 236
State Owned	Tax ID#: 18639	4
Public (Explain the use/purpose)  1 or 2 Family Dwelling - No. of Bedrooms		
III. TYPE OF PERMIT: (Check only one box on line A. Check box o	on line B if applicable)	092430500110000
1 ^	Private Interceptor	N ECEIVEN
/		
Reconnection Repair Revision	** Transfer of O	wner (List MANIGUS OWNER below)
B) A Sanitary Permit was proviously issued. <b>Bravious</b>		Doublet Co. Tark to
Previous	Permit Number:	Date issued:
IV. TYPE OF NON-PLUMBING SYSTEM: (Check One) * Replace	ments need previous permit	number and date filled out above
C) Pit Privy Vault Privy (Vault size: 300	gallons or cubic yards	A
Portable Privy Camping Transfer Unit Container	Composting Toile	ets Incinerating Toilet
V. ABSORPTION SYSTEM INFORMATION:  1. Gallons   2. Absorp. Area   3. Absorp. Area   4. Loa	ding Rate 5. Perc. R	
Por Dov	ding Rate 5. Perc. Ra / Day / Sq.Ft.) (Min. In	
Per Day Required (Sq.Ft.) Proposed (Sq. Ft.) (Gals. /	/ Day / Sq.Ft.) (Min. In	, in a Grade
Per Day Required (Sq.Ft.) Proposed (Sq. Ft.) (Gals. /  VI. TANK Capacity In Gallons Total # of Manu	/ Day / Sq.Ft.) (Min. In	Site Steel Fiber Steel Experience
Per Day Required (Sq.Ft.) Proposed (Sq. Ft.) (Gals. /  VI. TANK Capacity In Gallons Total # of Tanks Tanks Tanks	/ Day / Sq.Ft.) (Min. In	ch) Elev.(Feet) Elev. (Feet)
Per Day Required (Sq.Ft.) Proposed (Sq. Ft.) (Gals. /  VI. TANK Capacity In Gallons Total # of Tanks  New Existing Tanks  Septic Tank or	/ Day / Sq.Ft.) (Min. In  Ifacturer's Prefab. Concrete Cons	Site structed Steel Fiber glass Plastic App
Per Day  Required (Sq.Ft.)  Proposed (Sq. Ft.)  VI. TANK  INFORMATION:  Capacity In Gallons  New Existing Tanks  Total Gallons  Tanks  Septic Tank or Holding Tank  Lift Pump Tank /	/ Day / Sq.Ft.) (Min. In	Site Structed Steel - Plastic Expr
Per Day  Required (Sq.Ft.)  Proposed (Sq. Ft.)  VI. TANK  INFORMATION:  Capacity In Gallons  New Tanks  Total Gallons Tanks  Septic Tank or Holding Tank  Lift Pump Tank / Siphon Chamber	/ Day / Sq.Ft.) (Min. In  Ifacturer's Prefab. Concrete Cons	Site structed Steel Fiber glass Plastic App
Per Day  Required (Sq.Ft.)  VI. TANK  INFORMATION:  Capacity In Gallons Total Tanks  Septic Tank or Holding Tank  Lift Pump Tank / Siphon Chamber  VII. RESPONSIBILITY STATEMENT:	(Min. In state of the state of	Site structed Steel Fiber glass Plastic App
Per Day  Required (Sq.Ft.)  VI. TANK  INFORMATION:  Septic Tank or Holding Tank  Lift Pump Tank / Siphon Chamber  VII. RESPONSIBILITY STATEMENT:  I the undersigned, assume responsibility for installation of the onsite s	facturer's Prefab. Concrete Conse	Site structed Steel Fiber glass Plastic Appropriate attached plans.
Per Day  Required (Sq.Ft.)  Proposed (Sq. Ft.)  VI. TANK INFORMATION:  Septic Tank or Holding Tank Lift Pump Tank / Siphon Chamber  VII. RESPONSIBILITY STATEMENT:  I the undersigned, assume responsibility for installation of the onsite s  Owner's Name(s): (Print) If applying for Section C above	(Min. In state of the state of	Site structed Steel Fiber glass Plastic Approximate attached plans.  Stamps)
Per Day  Required (Sq.Ft.)  Proposed (Sq. Ft.)  (Gals. /  VI. TANK INFORMATION:  New Existing Tanks  Septic Tank or Holding Tank  Lift Pump Tank / Siphon Chamber  VII. RESPONSIBILITY STATEMENT:  I the undersigned, assume responsibility for installation of the onsite s  Owner's Name(s):  (Print) If applying for Section C above	facturer's Prefab. Concrete Conse	Site structed Steel Fiber glass Plastic Appropriate attached plans.
Per Day  Required (Sq.Ft.)  Proposed (Sq. Ft.)  (Gals. /  VI. TANK  INFORMATION:  New Existing Tanks  Septic Tank or Holding Tank  Lift Pump Tank / Siphon Chamber  VII. RESPONSIBILITY STATEMENT:  I the undersigned, assume responsibility for installation of the onsite some companies of the section C above  Plumber's Name: (Print) If applying for Section A or B) above  Plumber's Address: (Street City State Tile 1.5)	Min. In (Min. In	Site structed Steel Fiber glass Plastic Approximate attached plans.  Stamps)
Per Day  Required (Sq.Ft.)  Proposed (Sq. Ft.)  (Gals. /  VI. TANK INFORMATION:  In Gallons Total New Existing Tanks Tanks  Septic Tank or Holding Tank  Lift Pump Tank / Siphon Chamber  VII. RESPONSIBILITY STATEMENT: Ithe undersigned, assume responsibility for installation of the onsite s  Owner's Name(s): (Print) If applying for Section C above  Plumber's Name: (Print) If applying for Section A or B) above  Plumber's Address: (Street City State 7: 6 by State	Min. In  Ifacturer's Prefab. Concrete Consecutive  ewage system shown on the Owner's Signature(s): (No	Site structed Steel Fiber glass Plastic Approximate attached plans.  Stamps)
Per Day  Required (Sq.Ft.)  Proposed (Sq. Ft.)  (Gals. /  VI. TANK INFORMATION:  New Existing Tanks Tanks  Septic Tank or Holding Tank  Lift Pump Tank / Siphon Chamber  VII. RESPONSIBILITY STATEMENT: Ithe undersigned, assume responsibility for installation of the onsite s  Owner's Name(s): (Print) If applying for Section C above  Plumber's Name: (Print) If applying for Section A or B) above  Plumber's Address: (Street, City State, Zip Code)	Min. In (Min. In	Site structed Steel Fiber glass Plastic Approximate attached plans.  Stemps)  MP/MPRSW No:
Per Day  Required (Sq.Ft.)  Proposed (Sq. Ft.)  (Gals. /  VI. TANK INFORMATION:  New Existing Tanks  Septic Tank or Holding Tank  Lift Pump Tank / Siphon Chamber  VII. RESPONSIBILITY STATEMENT: The undersigned, assume responsibility for installation of the onsite some some some some content of the onsite some content	facturer's Prefab. Concrete Constant Property Concrete Constant Property Concrete Constant Property Co	Site structed Steel Fiber glass Plastic Approximate attached plans.  Stamps)  MP/MPRSW No:  Business Phone:
Per Day  Required (Sq.Ft.)  Proposed (Sq. Ft.)  (Gals. /  VI. TANK INFORMATION:  New Existing Tanks  Septic Tank or Holding Tank  Lift Pump Tank / Siphon Chamber  VII. RESPONSIBILITY STATEMENT:  the undersigned, assume responsibility for installation of the onsite s  Owner's Name(s): (Print) If applying for Section C above  Plumber's Name: (Print) If applying for Section A or B) above  Plumber's Address: (Street, City State, Zip Code)  VIII. COUNTY / DEPARTMENT USE ONLY  Disapproved  Sanitary Permit/Tra	Min. In (Min. In (Min	Site structed Steel Fiber glass Plastic Approximate attached plans.  Stamps)  MP/MPRSW No:  Business Phone:
Per Day  Required (Sq.Ft.)  Proposed (Sq. Ft.)  (Gals. /  VI. TANK INFORMATION:  In Gallons  New Existing Gallons Tanks  Septic Tank or Holding Tank Lift Pump Tank / Siphon Chamber  VII. RESPONSIBILITY STATEMENT:  the undersigned, assume responsibility for installation of the onsite s  Owner's Name(s): (Print) If applying for Section C above  Plumber's Name: (Print) If applying for Section A or B) above  Plumber's Address: (Street, City State, Zip Code)  VIII. COUNTY / DEPARTMENT USE ONLY  Approved  Owner Given Initial Adverse Determination  Over Simple (Sq. Ft.)  Manu  # of Manu  # of Gals. /  # of Gals. /  # of Manu  # of Ma	Min. In  Ifacturer's Prefab. Concrete Constitute  Warne Concrete Constitute  Concrete Constitute  Concrete Constitute  Concrete Constitute  Constitute  Concrete Constitute  C	Site structed Steel Fiber glass Plastic Apr  attached plans.  Stamps)  MP/MPRSW No:  Business Phone:  Issuing Agent's Stanature / Date:
Per Day  Required (Sq.Ft.)  Proposed (Sq. Ft.)  (Gals. /  VI. TANK INFORMATION:  New Existing Tanks  Septic Tank or Holding Tank  Lift Pump Tank / Siphon Chamber  VII. RESPONSIBILITY STATEMENT:  the undersigned, assume responsibility for installation of the onsite some of the undersigned assume responsibility for installation of the onsite some of the undersigned assume responsibility for installation of the onsite some of the undersigned assume responsibility for installation of the onsite some of the undersigned assume responsibility for installation of the onsite some of the undersigned assume responsibility for installation of the onsite some of the undersigned assume responsibility for installation of the onsite some of the undersigned assume responsibility for installation of the onsite some of the undersigned assume responsibility for installation of the onsite some of the undersigned assume responsibility for installation of the onsite some of the undersigned assume responsibility for installation of the onsite some of the undersigned assume responsibility for installation of the onsite some of the undersigned assume responsibility for installation of the onsite some of the undersigned assume responsibility for installation of the onsite some of the undersigned assume responsibility for installation of the onsite some of the undersigned assume responsibility for installation of the onsite some of the undersigned assume responsibility for installation of the onsite some of the undersigned assume responsibility for installation of the onsite some of the undersigned assume responsibility for installation of the onsite some of the undersigned assume responsibility for installation of the onsite some of the undersigned assume responsibility for installation of the onsite some of the undersigned assume responsibility for installation of the onsite some of the undersigned assume responsibility for installation of the onsite some of the undersigned assume responsibility for installation of the onsite some of th	Min. In  Ifacturer's Prefab. Concrete Constitute  Warne Concrete Constitute  Concrete Constitute  Concrete Constitute  Concrete Constitute  Constitute  Concrete Constitute  C	Site structed Steel Fiber glass Plastic Approximate attached plans.  Stamps)  MP/MPRSW No:  Business Phone:
Per Day  Required (Sq.Ft.)  Proposed (Sq. Ft.)  (Gals. AND Capacity In Gallons  New Existing Tanks  Septic Tank or Holding Tank  Iff Pump Tank / Siphon Chamber  VII. RESPONSIBILITY STATEMENT:  the undersigned, assume responsibility for installation of the onsite septiment's Name (S): (Print) If applying for Section C above  Plumber's Name: (Print) If applying for Section A or B) above  Plumber's Address: (Street, City State, Zip Code)  III. COUNTY / DEPARTMENT USE ONLY  Approved  Owner Given Initial Adverse Determination  C. CONDITIONS OF APPROVAL / REASONS FOR DISAPPROVAL	Mame Phone:  (Min. In	Site structed Steel Fiber glass Plastic Apr  attached plans.  Stamps)  MP/MPRSW No:  Business Phone:  Issuing Agent's Stanature / Date:
Per Day  Required (Sq.Ft.)  Proposed (Sq. Ft.)  (Gals. AND Capacity In Gallons  New Existing Tanks  Septic Tank or Holding Tank  Iff Pump Tank / Siphon Chamber  All. RESPONSIBILITY STATEMENT:  The undersigned, assume responsibility for installation of the onsite septiment's Name (S): (Print) If applying for Section C above  Plumber's Name: (Print) If applying for Section A or B) above  Plumber's Address: (Street, City State, Zip Code)  III. COUNTY / DEPARTMENT USE ONLY  Approved  Owner Given Initial Adverse Determination  Over Signal Section (Sq. Ft.)  (Gals. A Gallons Total # of Manu Manu Manu Manu Manu Manu Manu Manu	Mame Phone:  (Min. In	Site structed Steel Fiber glass Plastic Apr  attached plans.  Stamps)  MP/MPRSW No:  Business Phone:  Issuing Agent's Stanature / Date:

1. Name the frontage road and use as a guideline, fill in the lot dimensions and indicate North (N).

Name of Frontage Road ( W. Iron LK

- 2. Show the approximate location and size of the building.
- Show the location of the well, septic tank and drain field.
- 4. Show the location of any lake, river, stream or pond if applicable.
- 5. Show the approximate location of other existing structures.
- 6. Show the approximate location of any wetlands or slopes over 20 percent. None
- 7. Show dimensions in feet on the following:
  - a. Building to all lot lines
  - b Building to centerline of road
  - c. Building to lake, river, stream or pond
  - d. Septic / holding tank to closest lot line
  - e. Septic/holding tank to building
  - f. Septic / holding tank to well
  - g. Septic / holding tank to lake, river, stream or pond
  - h. Privy to closest lot line

- i. Privy to building 40°
- j. Privy to lake, river, stream or pond 150

IMPORTANT
DETAILED PLOT PLAN

IS NECESSARY, FOLLOW STEPS 1-7 (a-o) COMPLETELY

- k. Drain field to closest lot line
- Drain field to building
- m. Drain field to well
- n. Drain field to lake, river, stream or pond
- o. Well to building

<u>Submit To</u>: Bayfield County Zoning Department, PO Box 58, Washburn, WI 54891

### PRIVY AGREEMENT

(ATTACHED TO THE SANITARY PERMIT APPLICATION



Tax ID #	698		Da	te: 2/41	202	4-O					
,	Diock(3) #	Subuiv						Return To:	ZONING		
5 Lot(s) #	Block(s) #	87 Subdiv		19R 57	9017	418 67	14	- Self-state de la constitución de			
Gov't Lot	Lot#	CSM#		I & Page		CSM Doc. #	*		PAGES: 1		
W		s. <u>25</u> T. <u>47</u> N, R. 9 W						TF EXEMPT #: RECORDING FEE: 30.00			
Legal Description			Section, Township, Range						02/10/2020 09:10AM		
3102 N.B.		66010 W. Iron LL Ln I					on River	WIREGISTER OF DEEDS			
Mailing Address: Property Address									DENISE TARASEWICE		
Property Owner(s): Rod and Curla Powers									2020R-581036		

- 1. **NO PLUMBING** will be installed in the habitable building.
- NO PLUMBING includes: water closets, sinks, bathtubs or showers, laundry facilities, or any other fixture or receptacle
  receiving domestic waste, will be installed in the premises served by the privy unless a code compliant soil absorption system
  or holding tank exists, or a valid sanitary permit to install such a system has been issued.
- 3. A privy vault / pit shall maintain minimum setbacks as specified in Table 1.

Table 1	Well Building		Lake / Stream	Additional County Setbacks
OPEN PIT	50 Ft.	15 Ft.	Min. 75 Ft.	
SEALED VAULT	25 Ft.	15 Ft.	Min. 75 Ft.	

- 4. Privies for public buildings shall comply with SPS 353.63.
- 5. Privies used for one- and two-family purposes shall be constructed in such a manner so as to exclude flies, rats and other vermin. Doors should be self-closing and vault ventilators should terminate at least one foot above the roof.
- 6. Privies as per SPS 391.12 (1) states as follows:
  - (a.) The storage chamber of a vault privy shall conform with the requirements of s. SPS 384.25 relating to holding tanks and shall have a minimum storage capacity of 200 gallons or one cubic yard.
  - (b.) The storage chamber of a pit privy shall be sited and located in soil recognized to provide treatment and dispersal in accordance with s. SPS 383.44 (4)(b).
- 7. The privy shall be kept clean and sanitary. The contents of the pit or vault shall be disposed in accordance with NR 113, Wis. Adm. Code.
- 8. This agreement shall be binding on the owner, their heirs and assignees. This document shall be recorded by the Register of Deeds in a manner, which allows its existence to be determined by reference to the property where the privy is installed.

Printed Owner(s) Name(s)	This instrument was signed before me in the State of Wisconsin,  County of Bayfield Shill Courts  On this Hay February, 2000							
Owner(s) Signature:	by:  Notary Public  My commission expires on:							
afted By: Rod Cowers (must be filled out by person submitting	eg form)  ERIC SILJENDAHL Notary Public Minnesota My Commission Expires Jan 31, 2022  © December 2012							

## fillage, State or Federal May Also Be Required

SANITARY - X
SIGN SPECIAL CONDITIONAL BOA -

# BAYFIELD COUNTY PERMIT

WEATHERIZE AND POST THIS PERMIT ON THE PREMISES DURING CONSTUCTION

No.	20-0029				Issued To: Rodney & Carla Powers											
Location:	_	1/4	of	-	1/4	Section	24	Township	47	N.	Range	9	W.	Town of	Hughes	
Parcel in Gov't Lot	1		ı	_ot	Block		Subdivision						CSM#			

For: Residential Other: [ Vaulted Privy (300 Gallon AK Industries Plastic Tank) ]

(Disclaimer): Any future expansions or development would require additional permitting.

Condition(s): Maintain privy per recorded agreement.

You are responsible for complying with state and federal laws concerning construction near or on wetlands, lakes, and streams. Wetlands that are not associated with open water can be difficult to identify. Failure to comply may result in removal or modification of construction that violates the law or other penalties or costs. For more information, visit the department of natural resources wetlands identification web page or contact a department of natural resources service center (715) 685-2900.

**NOTE:** This permit expires one year from date of issuance if the authorized construction work or work or land use has not begun.

Changes in plans or specifications shall not be made without obtaining approval. This permit may be void or revoked if any of the application information is found to have been misrepresented, erroneous, or incomplete.

This permit may be void or revoked if any performance conditions are not completed or if any prohibitory conditions are violated.

#### **Rob Schierman**

Authorized Issuing Official

February 11, 2020

Date